

**MULTICAP ESE44
100% MADE IN ITALIE**

HO.RE.CA



120V



CAPITANI®^{Srl}



ESE44 C. Nespresso

9487-8451 QUEBEC INC DBA CAFFÉ POLI CANADA

247 1re Avenue, Lasalle QC H8P 2E6 Montréal - www.caffepolicanada.ca - info@caffepolicanada.ca



**3 doses programmables,
rinçage automatique.**

3 programmable doses,
automatic rinsing.



9487-8451 QUEBEC INC DBA CAFFÉ POLI CANADA

247 1re Avenue, Lasalle QC H8P 2E6 Montréal - www.caffepolicanada.ca - info@caffepolicanada.ca



Porte-gobelet chauffant
Heated cups holder




3 doses de café programmables
3 programmable coffee doses



Bac de récupération des capsules amovibles.
Removable capsules collection tank



Buse vapeur.
Steam dispenser nozzle



Bec d'eau chaude
Hot water dispenser nozzle



Réservoir d'eau amovible avec filtre adoucisseur.
Removable water tank with water softener/filter

OPTIONS - OPTIONAL



Fonction crème de lait et cappuccino automatique.
Automatic cappuccino and crema latte function



Possibilité de raccordement au réseau d'eau.

Water connection on request.

9487-8451 QUEBEC INC DBA CAFFÉ POLI CANADA

247 1re Avenue, Lasalle QC H8P 2E6 Montréal - www.caffepolicanada.ca - info@caffepolicanada.ca

MULTICAP, CARACTÉRISTIQUES TECHNIQUES :



- Déchargement automatique des capsules ;
- Rinçage et chauffage automatiques du groupe de percolation ;
- Sortie d'eau chaude du bec verseur à café sans l'aide de capsules vides pour rincer et chauffer les infuseurs, une méthode parfaite pour nettoyer et hygiéniser la machine ;
- Deux groupes avec éjection automatique des capsules ;
- Fin de réservoir d'eau avec voyant lumineux ;
- Thermostat électronique ;
- Doses de café programmables ;
- Coque en acier inoxydable ;
- Chaudière en acier inoxydable 18/10 ;
- Puissance du réservoir à café 800 W + 800 W Puissance totale 2850 W ;
- Puissance de la chaudière à vapeur 1250 W ;
- Pression chaudière 29 psi (2 bar) (réglable) ;
- Pompe ULKA EP4 20 bars;
- Réservoir de chaudière 4.5 litres ;
- Dimensions 57x46xh42 cm .
- Poids 25.5 kg.

TECHNICAL CHARACTERISTICS:

- Automatic capsule discharge;
- Automatic rinsing and heating of the brewing group;
- Hot water outlet from the coffee spout without the aid of empty capsules to rinse and heat the infusers, a perfect method to clean and sanitize the machine;
- Two groups with automatic capsule ejection;
- End of water tank with indicator light;
- Electronic thermostat;
- Programmable coffee doses;
- Stainless steel shell;
- 18/10 stainless steel boiler;
- Coffee tank power 800 W + 800 W Total power 2850 W;
- Steam boiler power 1250 W;
- Boiler pressure 29 psi (2 bar) (adjustable);
- ULKA EP4 pump 20 bars;
- Boiler tank 4.5 liters;
- Dimensions 57x46xh42 cm .
- Weight 25.5 kg.
- Exclusive infusion system Hot water through the coffee nozzle .
- warning light .

9487-8451 QUEBEC INC DBA CAFFÉ POLI CANADA

247 1re Avenue, Lasalle QC H8P 2E6 Montréal - www.caffepolicanada.ca - info@caffepolicanada.ca